

4-H Starter Garden

A Gardening Activity for Youth & Families



New Hanover County Cooperative Extension Service

March 2020





Hello Gardeners!

We are excited to provide you with a "4-H Starter Garden" activity but most of all learning about starting your own garden. You too can learn how to grow your favorite fresh vegetable. Gardens can be grown anywhere just not on farms. Community gardens, gardens in pots, gardens in a window box, or a small plot in your backyard. Let's dig in and get started!

This "4-H Starter Garden" activity is just a sample of the resources that New Hanover County 4-H has to offer. If you would like to know more about this activity, contact J. Scott Enroughty, 4-H Agent at jsenroug@ncsu.edu

Acknowledgements

See Them Sprout 4-H curriculum created by Marta Lah, Curriculum Development Assistant, 4-H and Robert Ritchie, Purdue University Extension Curriculum Specialist, 4-H and The Garden Curriculum design team.

Soil Solutions 4-H Curriculum created by North Carolina State University 4-H Plant and Soil Sciences.

Farmers Supply, Wilmington, North Carolina for helping with activity materials.

Wyatt Quarles www.wqseeds.com for Vegetable Planting Guide



New Hanover County Schools Disclaimer

"This information/publication does not necessarily represent the views of New Hanover County Schools nor does it constitute or imply endorsement, recommendation, or favoring by New Hanover County Schools."



NC State University and N.C. A&T State University are collectively committed to positive action to secure equal opportunity and prohibit discrimination and harassment regardless of age, color, disability, family and marital status, gender identity, genetic information, national origin, political beliefs, race, religion, sex (including pregnancy), sexual orientation, and veteran status. NC State, N.C. A&T, U.S. Department of Agriculture, and local governments cooperating.

Best Way to Start a Garden is to Plan



- Choose a location.
 - Decide how big a garden you can easily care for.
- Draw a plan of the space; it can be rectangular, square, round, or curvy.
- Make a list of the vegetables you want to grow.
- Check that what you want to grow will fit in your space. Make changes, if needed.
- In your plan, draw where you will plant each vegetable. Add planting dates. If you have the space, the best place for a garden is on level ground and in full sun.
- Most vegetables need at least six hours of direct sun every day.
- Make sure this place is well-drained. That means that puddles don't stay around for long. Plants need water, but they don't like to stand in water all the time! Would you?
- Ask an adult helper which way is north. This is useful to know because:
 - Rows that run north to south allow plants to get the most sunlight as the sun travels its east-to-west path.
 - Tall plants (such as corn, pole beans, peas, and tomatoe) planted on the north side of a garden won't shade the shorter plants.

Just as sunshine is important for your garden, so is good soil. Soil provides food for plants.

Growing vegetables is easy and fun

You can garden just about anywhere. You don't need to live in the country or have a big yard to be a gardener. You can have a productive garden right in the middle of the city, too! If you live in a house, you can probably find an area in your yard. Ask an adult helper to be sure you can garden there.

If you live in an urban area and don't have a place to plant a garden in the ground, use a container that you can set on a porch, deck, balcony, or patio. Or have a row of pots indoors on a sunny windowsill. You can grow things in planter boxes, windowsill boxes, pots, wooden barrels, bushel baskets, tubs, or just about anything you can think of. Just make sure your container has a few holes in the bottom so extra water can run out.



Start Your Garden

Materials for Your 4-H Starter Garden

- 3 Marigold seeds (*Crackerjack Blend*)
- 3 Tomato seeds (*Marion variety*)
- 1 pack of soil (*Will be used for both peat pots*)
- 2 peat pots: one (1) for tomato and one (1) for Marigold
- Growth Chart
- Wyatt Quarles Vegetable Planting Guide
- Plant Growth Journal Page
- North Carolina Agriculture Map



Instructions to Starting Your Garden


Place soil in each of peat pots. Make a ¼" hole in soil and place tomato seed in one peat pot and marigold seed in the other peat pot. Cover seed with soil and water. Follow instructions listed on packets for additional instructions.

Tomato

TOMATO MARION

INDETERMINATE VINES NON-GMO HEIRLOOM

Lycopersicon esculentum



HISTORY: Non-GMO American Heirloom, developed at Charleston, SC in 1960.
INFO: Bright red, globe shaped fruits avg 6-8 oz each. Yields up to 10 lbs per vine.
TRAITS: Highly prolific with resistance to cracking, Fusarium Wilt & grey leaf spot.
GROWTH: Indeterminate vine grows up to 6' tall, requiring support from stake or cage.
USES: Firm & meaty, ideal for pizzas, salads, salsas, sandwiches, baking or canning.
NUTRITION: Tasty source of Folate, Lycopene, Potassium, Vitamins A, B6, C & K.
SPRING: Start indoors 3-4 weeks before or outdoors 4-6 weeks after last frost.

FROM SEED TO TABLE IN 70 DAYS **400MG** **\$1.99**
APPROX. 100 SEEDS **EST. YIELD: 250+ LBS**

Marigold

MARIGOLD
Crackerjack Blend



Seedling

If you want a large, majestic marigold, Crackerjack is a superior blend with a mounding form, consistent height, and sturdy flower stalks. 4" blooms in tangerine orange, rich gold, and lemony yellow will brighten up your flower bed, path edges, and large container plantings. They make radiant, long-lasting cut flowers and are so easy to grow from seed. For a dazzling contrast, plant next to blue or dark purple flowers. Fairly drought tolerant. Deer and rabbit resistant.

When to sow outside: 1 to 2 weeks after your average last frost date, and when soil temperature is 70°-80°F.
When to start inside: RECOMMENDATION: 4 to 6 weeks before your average last frost date.

Days to Emerge: 5 - 16 Days

Seed Depth: 1/2"

Seed Spacing: A group of 3 seeds every 18"

Thinning: When 1" tall, thin to 1 every 18"

Date Seed Sown:

Get out for plants!

OPEN POLLINATED AND UNTREATED



© Botanical Interests, Inc.
 6820 Canyon Blvd., Boulder, Colorado 80504
www.botanicalinterests.com

Plant Growth Experiment

Group Data Collection Sheet:

Name: _____

Date: _____


Treatment: How many fertilizer pellets did you use:

Days	Number Seeds Germinated	Plant Height (cm)	Number of Leaves	Number of Flowers	Number of Seeds
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					




Plant Growth Journal

Name: _____



North Carolina Agriculture Map



Notes:



Parts Of A Plant
And Things That
Help It Grow



sunlight


flower



water



air



leaf

stem





soil



roots




Parts of plant and flower






Parts of a Plant








VEGETABLES VOCABULARY WORDSEARCH PUZZLE


FIND AND CIRCLE THE WORDS IN THE WORDSEARCH PUZZLE AND NUMBER THE PICTURES



K A A S Y Z O I N D C L R O K
 M W F N E C N G I O A E E G Y
 U O P A E G I W K T U T B A H
 Y Q C E T O O W P O L T M R S
 I S E B O O N Z M M I U U L I
 X J L N S T R C U A F C C I D
 S N E E S U A R P T L E U C A
 O T R E C A G T A O O Q C R R
 E Y Y R V A E A O C W U J A R
 L S J G C F O P R P E G H E K
 E K O H C I T R A A R X P V D
 T N A L P G G E H K P P F L C
 E G A B B A C V P T E S F T J
 U E H C A N I P S P Z R A I K
 T W I Y S B R O C C O L I M F





- 1) ARTICHOKE
- 2) ASPARAGUS
- 3) BROCCOLI
- 4) CABBAGE
- 5) CARROT
- 6) CAULIFLOWER
- 7) CELERY
- 8) CUCUMBER
- 9) EGGPLANT
- 10) GARLIC
- 11) GREENBEANS
- 12) LETTUCE
- 13) ONION
- 14) PEAS
- 15) PEPPER
- 16) POTATO
- 17) PUMPKIN
- 18) RADISH
- 19) SPINACH
- 20) TOMATO



Vegetables









Vegetable Planting Guide

Wyatt-Quarles Seed Company
 PO Box 739
 Garner NC 27529
 919-772-4243

VEGETABLE SEED OR PLANT	AMOUNT FOR 100 FT. ROW	RECOMMENDED VARIETIES	PLANTING TIMES FOR N. C. PIEDMONT*	DEPTH TO PLANT (INCHES)	DISTANCE BETWEEN PLANTS	DISTANCE BETWEEN ROWS	BEST SOIL PH	DAYS TO MATURITY
ASPARAGUS (roots)	65 roots	Jersey Knight	Nov. 15 - Apr. 15	2 - 6	18 in.	3 ft.	6.0 - 7.0	2 years
BEANS, Bush Snap	1 pound	Tenderette, Contender, Blue Lake Bush	Apr. 15 - July 15	1 - 2	4-6 in.	18 - 30 in.	6.0 - 6.5	50 - 55
BEANS, Pole Snap	½ pound	Kentucky Wonder, Blue Lake	Apr. 15 - July 1	1 - 2	6 in.	3 - 4 ft.	6.0 - 6.5	65 - 70
BEANS, Bush Lima	½ pound	Early Thorngreen, Eastland, Fordhook 242, Henderson Bush	May 1 - July 1	1 - 2	6 in.	24 - 30 in.	5.5 - 6.5	65 - 80
BEANS, Pole Lima	½ pound	Carolina Sieva	May 1 - June 15	1 - 2	6 in.	30 - 36 in.	5.5 - 6.5	75 - 95
BEET	1 oz.	Detroit Dark Red	Feb. 15 - Apr. 1; Aug. 1 - Sept. 1	½ - 1	2 in.	12 - 18 in.	6.0 - 6.5	55 - 60
BROCCOLI (plants)	65 plants	Italian Green Sprouting, Premium Crop	Feb. 15 - Mar. 15; July 15 - Aug. 15	1 - 2	18 in.	24 - 30 in.	6.0 - 6.5	70 - 80
BROCCOLI (seeds)	½ oz.	Italian Green Sprouting, Salad, Premium Crop	Dec. 1 - Mar. 15; July 1 - Sept. 1	½	18 in.	24 - 30 in.	6.0 - 6.5	80 - 85
BRUSSEL SPROUTS	½ oz.	Long Island Improved	July 15 - Aug. 1	½	14 - 18 in.	24 - 30 in.	6.0 - 7.0	90 - 100
CABBAGE (plants)	100 plants	Early Jersey Wakefield, Stonehead Hybrid, All Seasons	Feb. 1 - April 1; Aug. 1 - Sept. 1	2 - 4	12 in.	24 - 30 in.	6.0 - 6.5	63 - 75
CABBAGE (seeds)	½ oz.	Early Jersey Wakefield, Stonehead Hybrid, All Seasons	Dec. 1 - Mar. 15; July 1 - Sept. 1	½	12 in.	24 - 30 in.	6.0 - 6.5	90 - 120
CANTALOUPE	½ oz.	Edisto 47, Burpee Hybrid, Hales Jumbo	Apr. 20 - June 10	½ - 1	2 ft.	4 - 6 ft.	6.0 - 6.5	85 - 90
CARROT	½ oz.	Danvers Half Long, Emperor	Feb. 1 - Mar. 1; July 15 - Aug. 15	½	2 in.	14 - 24 in.	6.0 - 6.5	75 - 80
CAULIFLOWER (plants)	65 plants	Snowball	Mar. 1 - Mar. 15; July 1 - Aug. 15	1 - 2	18 in.	30 - 36 in.	5.8 - 6.5	55 - 65
CAULIFLOWER (seeds)	½ oz.	Snowball	Feb. 1 - Mar. 1; June 1 - July 1	½	18 in.	30 - 36 in.	5.8 - 6.5	85 - 95
COLLARDS	½ oz.	Vates, Morris Improved Heading, Georgia	July 15 - Aug. 15	½	18 in.	24 - 30 in.	6.0 - 6.5	90 - 120
CORN, Sweet	4 oz.	Silver Queen (white), Kandy Korn (yellow), Golden Queen (yellow)	Apr. 15 - June 1	1 - 2	12 in.	30 - 36 in.	5.5 - 6.5	85 - 90
CHINESE CABBAGE	½ oz.	Michihii	Aug. 15 - Sept. 1	½	12 in.	18 - 24 in.	6.0 - 7.0	75 - 85
CUCUMBER, Slicing	½ oz.	Ashley, Poinsett 76, Hybrid Sweet-Slice	Apr. 20 - May 15	1	12 in.	4 - 6 ft.	6.0 - 6.5	60 - 65
CUCUMBER, Pickling	½ oz.	Early Green Cluster, National Pickling	Apr. 20 - May 15	1	12 in.	4 - 6 ft.	6.0 - 6.5	56 - 60
EGGPLANT	65 plants	Black Beauty	May 1 - June 30	½	18 in.	3 ft.	6.0 - 7.0	80 - 85
ENDIVE	1 oz.	Green Curled	Feb. 1 - Mar. 15; Aug. 15 - Sept. 15	½	12 in.	12 - 24 in.	6.0 - 7.0	80 - 90
KALE	½ oz.	Dwarf Curled Scotch, Early Siberian	Feb. 15 - Apr. 1; Aug. 15 - Sept. 15	½	2 in.	18 - 24 in.	6.0 - 7.0	50 - 60

VEGETABLE SEED OR PLANT	AMOUNT FOR 100 FT. ROW	RECOMMENDED VARIETIES	PLANTING TIMES FOR N. C. PIEDMONT*	DEPTH TO PLANT (INCHES)	DISTANCE BETWEEN PLANTS	DISTANCE BETWEEN ROWS	BEST SOIL pH	DAYS TO MATURITY
KOHLRABI	½ oz.	White Vienna	Feb. 15 - Apr. 15; Aug. 1 - Sept. 15	½	4 in.	18 - 24 in.	6.0 - 7.0	55 - 60
LEEK	1 oz.	Large Flag	Sept. 1 - Sept. 30	½	4 in.	12 - 18 in.	6.0 - 7.0	120 - 150
LETTUCE, Leaf	½ oz.	Saled Bowl, Buttercrunch, Black Seeded Simpson	Feb. 15 - Apr. 1; Aug. 15 - Sept. 15	½ - ¾	4 in.	12 - 18 in.	6.0 - 6.7	45 - 50
LETTUCE, Head	½ oz.	Great Lakes, Iceberg	Feb. 15 - Mar. 15	½ - ¾	12 in.	18 - 24 in.	6.0 - 6.7	75 - 85
MUSTARD	½ oz.	Southern Giant Curled, Tendergreen, Florida Brocdeleaf, Old Fashion	Feb. 1 - Apr. 1; Aug. 1 - Sept. 15	½	2 in.	12 - 18 in.	6.0 - 7.0	30 - 40
OKRA	2 oz.	Clemson Spineless, Perkins Long Pod	May 1 - June 1	1	12 in.	28 - 36 in.	5.5 - 6.5	50 - 60
ONION (sets)	1 quart	Silver Skin, Yellow Danvers	Feb. 1 - Mar. 15; Sept. 1 - Oct. 15	1 - 2	4 in.	12 - 24 in.	6.0 - 6.5	60 - 80
PEAS, Garden	1 pound	Super Sugar Snap (edible pod), Early Alaska, Wando, Laxton's Progress, Green Arrow	Feb. 1 - Mar. 1	2	2 - 3 in.	18 - 30 in.	6.0 - 6.5	65 - 70
PEAS, Field (cowpeas)	½ pound	Dixielee, Mississipp; Silver, Queen Anne, Browneye Six Week, Pinkeye Purple Hill	Apr. 15 - July 1	1 - 2	4 in.	36 - 42 in.	5.5 - 6.5	55 - 65
PEPPER, Sweet	65 plants	California Wonder, Banana, Keystone GL	May 1 - May 30	½	16 in.	3 ft.	6.0 - 6.5	75 - 80
PEPPER, Hot	65 plants	Long Red Cayenne, Jalapeno M	May 1 - May 30	½	18 in.	3 ft.	6.0 - 6.5	75 - 80
POTATO, Irish	120 plants	Kennebec, Pontiac	Mar. 1 - May 15	4 - 6	10 in.	36 - 42 in.	4.8 - 5.4	100 - 120
POTATO, Sweet	100 plants	Puerto Rico, Centennial Jewel	May 15 - June 15	3 - 6	12 in.	36 - 42 in.	5.4 - 6.0	105 - 135
PUMPKIN	½ oz.	Mammoth Gold, Sugar or Pie, Big Max	June 15 - July 15	1 - 2	4 ft.	6 - 10 ft.	6.0 - 6.5	115 - 120
RADISH	1 oz.	Early Scarlet Globe, Cherry Belle, White Egg	Feb. 1 - Apr. 15; Aug. 1 - Sept. 15	½	1 in.	6 - 12 in.	6.0 - 7.0	20 - 25
RUTABAGA	½ oz.	American Purple Top	Feb. 1 - Apr. 1; Aug. 1 - Aug. 15	½	4 in.	18 - 24 in.	6.0 - 7.0	90
SPINACH,	1 oz.	Dark Green Bloomsdale, Hybrid 7	Feb. 1 - Mar. 15; Aug. 1 - Sept. 1	½	4 in.	12 - 14 in.	5.6 - 6.0	45 - 50
SPINACH, New Zealand	1 oz.	New Zealand	Mar. 15 - Apr. 30	1	12 in.	24 in.	6.0 - 6.5	55 - 60
SQUASH, Summer	½ oz.	Early Summer Crookneck, Goldbar, Zucchini, Early Prolific Straightneck	Apr. 15 - May 15	1	2 ft.	3 - 5 ft.	5.5 - 6.5	50 - 60
SQUASH, Winter	½ oz.	Waltham Butternut	Apr. 15 - May 15	1	4 ft.	8 - 10 ft.	6.0 - 6.5	85 - 95
TOMATO	50 plants	Homestead, Marion, Better Boy, Big Beef	Apr. 10 - July 15	½ - ¾	2 ft.	3 - 5 ft.	6.0 - 6.5	75 - 85
TURNIP	½ oz.	Purple Top White Globe, Seven Top (greens only), Just Right Hybrid	Feb. 1 - Apr. 15; Aug. 1 - Sept. 15	½	2 in.	15 - 18 in.	6.0 - 7.0	55 - 60
WATERMELON	1 oz.	Congo, Charleston Gray #133, Crimson Sweet, Jubilee	Apr. 15 - June 1	1	3 ft.	5 - 8 ft.	5.8 - 6.2	90 - 100

*In Mountain area, delay spring planting date 2-3 weeks; plant 2-3 weeks earlier in Fall. In the lower Coastal Plain, plant 2-3 weeks earlier in Spring and delay Fall planting 2-3 weeks. In Virginia, delay spring planting date 2-3 weeks; plant 2-3 weeks earlier in Fall. In South Carolina, plant 2-3 weeks earlier in Spring and delay Fall planting 2-3 weeks.